

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S490	2	("20020165847").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 15:00
S491	145012	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S492	20474	S491 SAME display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S493	10117	expansion NEAR2 function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S494	7	S492 SAME S493	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S495	272	S492 AND S493	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S496	153	S495 AND (client AND server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S497	50	S496 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S498	122814	encod\$3 SAME decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17

EAST Search History

S499	51	S495 AND S498	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S500	28	S499 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S501	9	(transmit\$4 OR send\$3)NEAR5 (expansion NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S502	17	(transmit\$4 OR send\$3)NEAR5 ((decompress\$4 OR decod\$3 OR expansion) NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S503	24	(transmit\$4 OR send\$3)NEAR5 ((decompress\$4 OR decod\$3 OR expansion) NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device)OR client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S504	2	("6404431").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S505	23	(encod\$3 AND compression AND transmit\$4 AND expansion AND function).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S506	12	S505 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S507	29	semantic NEAR compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S508	12	S507 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S509	7	logical NEAR2 semantic NEAR compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17

EAST Search History

S51 0	145011	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)AND ((server OR destination)NEAR3 (device OR node OR computer OR network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S51 1	145011	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)SAME ((server OR destination)NEAR3 (device OR node OR computer OR network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S51 2	145011	((receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)SAME ((server OR destination)NEAR3 (device OR node OR computer OR network))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S51 3	72064	S512 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S51 4	6860	(709/203,247).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17

EAST Search History

S51 5	1097	(375/240).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S51 6	7900	S514 OR S515	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S51 7	1633	S513 AND S516	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S51 8	2011	compression WITH expansion WITH (function OR algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S51 9	110	S518 SAME encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S52 0	77	S519 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S52 1	2	S520 AND S516	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S52 2	6142	encod\$3 SAME compress\$3 SAME function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S52 3	581	(709/247).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S52 4	144	(send\$3 OR transmit\$4)NEAR4(compression OR decompression OR expanssion) NEAR3 function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S52 5	1097	(375/240).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17

EAST Search History

S52 6	3	S524 AND S525	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S52 7	1026	compress\$3 WITH structure WITH web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S52 8	31	S527 AND encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S52 9	1	"websiteoptimization.com"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S53 0	72	web NEAR3 (structure OR tag) NEAR4 (compression OR compressing OR encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S53 1	46	S530 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S53 2	12	S531 AND expans\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S53 3	2	S532 AND semantic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S53 4	3	S531 AND semantic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S53 5	44	semantic WITH (compres\$4 AND de\$1compres\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S53 6	9	S535 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17

EAST Search History

S53 7	581	(709/247).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S53 8	16	S537 AND semantic AND (compres\$4 AND de\$1compres\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S53 9	227	common data (compres\$4 WITH de\$1compres\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:17
S54 0	20692332	@ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:17
S54 1	166	S539 AND S540	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:17
S54 2	227	common data (compres\$4 WITH de\$1compres\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:17
S54 3	20692332	@ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:17
S54 4	2	S542 AND S543 AND (expansion NEAR2 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:17
S54 5	360790	(compres\$5 OR encod\$3) SAME (expan\$5 OR de\$1compres\$5 OR decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S54 6	6844	(compres\$5 OR encod\$3) SAME (expan\$5 OR de\$1compres\$5 OR decod\$3)SAME (data NEAR4 set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S54 7	283	(710/68).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17

EAST Search History

S54 8	127736	compression AND expansion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S54 9	61	S547 AND S548	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S55 0	52	S549 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S55 1	283	(710/68).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S55 2	127736	compression AND expansion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S55 3	61	S547 AND S548	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S55 4	52	S549 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S55 5	145012	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S55 6	145012	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17

EAST Search History

S55 7	20474	S556 SAME display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S55 8	10117	expansion NEAR2 function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S55 9	272	S557 AND S558	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S56 0	153	S559 AND (client AND server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S56 1	122814	encod\$3 SAME decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S56 2	51	S559 AND S561	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S56 3	17	(transmit\$4 OR send\$3)NEAR5 ((decompress\$4 OR decod\$3 OR expansion) NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S56 4	23	(encod\$3 AND compression AND transmit\$4 AND expansion AND function).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S56 5	145011	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)AND ((server OR destination)NEAR3 (device OR node OR computer OR network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17

EAST Search History

S56 6	145011	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)SAME ((server OR destination)NEAR3 (device OR node OR computer OR network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S56 7	145011	((receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)SAME ((server OR destination)NEAR3 (device OR node OR computer OR network))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S56 8	72064	S567 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S56 9	6860	(709/203,247).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S57 0	1097	(375/240).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S57 1	7900	S569 OR S570	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S57 2	1633	S568 AND S571	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17

EAST Search History

S57 3	2011	compression WITH expansion WITH (function OR algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S57 4	110	S573 SAME encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S57 5	77	S574 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S57 6	6142	encod\$3 SAME compress\$3 SAME function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S57 7	581	(709/247).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S57 8	144	(send\$3 OR transmit\$4)NEAR4(compression OR decompression OR expanssion) NEAR3 function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S57 9	1097	(375/240).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S58 0	1026	compress\$3 WITH structure WITH web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S58 1	72	web NEAR3 (structure OR tag) NEAR4 (compression OR compresing OR encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S58 2	46	S581 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S58 3	44	semantic WITH (compres\$4 AND de\$1compres\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17

EAST Search History

S58 4	581	(709/247).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S58 5	227	common data (compres\$4 WITH de\$1compres\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:17
S58 6	20692332	@ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:17
S58 7	166	S585 AND S586	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:17
S58 8	227	common data (compres\$4 WITH de\$1compres\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:17
S58 9	20692332	@ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:17
S59 0	360790	(compres\$5 OR encod\$3) SAME (expan\$5 OR de\$1compres\$5 OR decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S59 1	6844	(compres\$5 OR encod\$3) SAME (expan\$5 OR de\$1compres\$5 OR decod\$3)SAME (data NEAR4 set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S59 2	1	"websiteoptimization.com"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S59 3	7	S557 SAME S558	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S59 4	50	S560 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17

EAST Search History

S59 5	28	S562 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S59 6	9	(transmit\$4 OR send\$3)NEAR5 (expansion NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S59 7	24	(transmit\$4 OR send\$3)NEAR5 ((decompress\$4 OR decod\$3 OR expansion) NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device)OR client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S59 8	2	("6404431").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S59 9	12	S564 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S60 0	29	semantic NEAR compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S60 1	12	S600 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S60 2	7	logical NEAR2 semantic NEAR compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S60 3	2	S575 AND S571	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S60 4	3	S578 AND S579	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S60 5	31	S580 AND encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17

EAST Search History

S60 6	12	S582 AND expans\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S60 7	2	S606 AND semantic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S60 8	3	S582 AND semantic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S60 9	9	S583 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S61 0	16	S584 AND semantic AND (compres\$4 AND de\$1compres\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S61 1	2	S588 AND S589 AND (expansion NEAR2 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:17
S61 2	79128	compression.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S61 3	69	S547 AND S612	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S61 4	57	S613 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S61 5	42501	compression WITH expansion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S61 6	11	S615 SAME semantic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17

EAST Search History

S61 7	32	client server compression expansion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S61 8	18	S617 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S61 9	53	compress\$3 WITH(common WITH ((data OR information)NEAR2 set))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S62 0	15	S619 AND ((expansion OR decod\$3 OR de\$1compress\$3)WITH function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S62 1	12	(client server compression expansion).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S62 2	2	(client server compression expansion).bsum.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S62 3	41	(client server compression).bsum. AND semantic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S62 4	25	S623 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S62 5	10348	((710/68) or (375/240) or (707/101) or (709/203,247)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S62 6	187	(compression expansion)AND S625	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S62 7	154	S626 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17

EAST Search History

S62 8	66	S627 AND (semantic OR common) AND data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S62 9	283	(710/68).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:17
S63 0	6	common WITH (data NEAR2 set) AND S629	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S63 1	11	(common\$3 OR frequent\$4) WITH (data NEAR2 set) AND S629	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:17
S63 2	1318	group\$3 common (data OR information)record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S63 3	265	group\$3 common (data OR information)record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S63 4	10	S625 AND S633	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S63 5	4	S634 AND (compression OR encod\$3) AND (de\$1compress\$3 OR de\$1cod\$3 OR expan\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S63 6	64	(compress\$3 search result request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S63 7	8	S625 AND S636	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S63 8	7	S637 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18

EAST Search History

S63 9	2	("6345307").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:18
S64 0	257	compress\$3 search (request OR result)(expand\$5 OR de\$1compress\$3 OR de\$1cod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S64 1	155	S640 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S64 2	10348	((710/68) or (375/240) or (707/101) or (709/203,247)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:18
S64 3	15	S641 AND S642	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S64 4	96225	(compress\$3 OR encod\$3) (expand\$5 OR de\$1compress\$3 OR de\$1cod\$3)(function OR module OR software OR unit OR step)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S64 5	64641	((data NEAR2 set)OR information) AND S644	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S64 6	25967	((data NEAR2 set)OR information) S644	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S64 7	613	S642 AND S646	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S64 8	19724	S644.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S64 9	152	S642 AND S648	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18

EAST Search History

S65 0	113	S649 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S65 1	264152	compress\$4.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S65 2	41	S650 AND S651	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S65 3	343	rastogi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S65 4	1006	babu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S65 5	2	S653 AND S654	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S65 6	51	compressing WITH HTML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S65 7	4	S656 SAME structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S65 8	32	S656 AND structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S65 9	14	S658 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S66 0	19	compress\$4 ((web NEAR page) OR HTML)structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18

EAST Search History

S66 1	45	partial compress\$5 expansion data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S66 2	1	S661 AND (dynamic\$5 compression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S66 3	161	semantic compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S66 4	15	S663 SAME (common (data OR information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S66 5	54	S663 AND (common (data OR information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S66 6	11	S665 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S66 7	10	(US-20020156618-\$).did. or (US-5862347-\$ or US-5999936-\$ or US-6219716-\$ or US-6404431-\$ or US-6434561-\$ or US-6466999-\$ or US-6529912-\$ or US-6532121-\$). did. or (JP-07184194-\$).did.	US-PGPUB; USPAT; DERWENT	SAME	ON	2006/04/13 16:18
S66 8	7	(US-20020073116-\$).did. or (US-6345307-\$ or US-6370536-\$ or US-6404431-\$ or US-6466999-\$ or US-6493766-\$ or US-6728785-\$ or US-6883137-\$).did.	US-PGPUB; USPAT	SAME	ON	2006/04/13 16:18
S66 9	87	Elwood WITH Norris	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S67 0	82	S669.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S67 1	14684	sound NEAR system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18

EAST Search History

S67 2	26	S670 AND S671	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S67 3	2415	(send\$3 OR transmit\$4 OR forward\$3) (expansion OR de\$1cod\$3 OR de\$1compress\$4)(destination OR target OR second OR other) (device OR node OR computer OR terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S67 4	1450	S673 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S67 5	10348	((710/68) or (375/240) or (707/101) or (709/203,247)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:18
S67 6	21	S674 AND S675	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S67 7	2	("6009456").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:18
S67 8	1	S677 AND (transmit\$4 WITH decompress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S67 9	113614	(Transmit\$4 OR communicat\$3 OR transfer\$4 OR pass\$3 OR send\$3) (de\$1compress\$4 OR expand\$3 OR expansion) (Function OR algorithm OR scheme OR method OR system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S68 0	33140	(Transmit\$4 OR communicat\$3 OR transfer\$4 OR pass\$3 OR send\$3) (de\$1compress\$4 OR expand\$3 OR expansion) (Function OR algorithm OR scheme OR method OR system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S68 1	687	(Transmit\$4 OR communicat\$3 OR transfer\$4 OR pass\$3 OR send\$3) (de\$1compress\$4 OR expand\$3 OR expansion) (Function OR algorithm OR scheme OR method OR system) encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18

EAST Search History

S68 2	341	S681 and compres\$3 AND de\$1compres\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S68 3	65	S682 AND (data NEAR set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S68 4	10348	((710/68) or (375/240) or (707/101) or (709/203,247)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:18
S68 5	8	S683 AND S684	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S68 6	222	encod\$3 common data set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S68 7	10348	((710/68) or (375/240) or (707/101) or (709/203,247)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:18
S68 8	7	S686 AND S687	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S68 9	69	(encod\$3 common data set)AND (compres\$4 OR de\$1compres\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S69 0	35	S689 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S69 1	192	encod\$3 only (common OR repeat\$3) data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S69 2	2	S691 SAME huffman	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18

EAST Search History

S69 3	302	(transmit\$4 OR send\$3) (compres\$5 OR encod\$3) (table OR dictionary)((destination OR remote OR reciev\$3 OR second) NEAR3 (Terminal OR device OR node OR computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S69 4	836	((710/68) or (709/247)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:18
S69 5	222	transmit\$4 (compres\$5 OR encod\$3) (table OR dictionary)((destination OR remote OR reciev\$3 OR second) NEAR3 (Terminal OR device OR node OR computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S69 6	3	S695 AND S693 AND S694	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S69 7	222	transmit\$4 (compres\$5 OR encod\$3) (table OR dictionary)((destination OR remote OR reciev\$3 OR second) NEAR3 (Terminal OR device OR node OR computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S69 8	155	S693 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S69 9	583	S694 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S70 0	109	S695 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S70 1	18	S700 AND (common WITH data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S70 2	35	transmit\$4 (compres\$5 OR encod\$3) (table OR dictionary)((destination OR remote OR reciev\$3 OR second) NEAR3 (Terminal OR device OR node OR computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18

EAST Search History

S70 3	18	S702 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S70 4	145	transmit\$4 (compres\$5 OR encod\$3) (table OR dictionary OR function)((destination OR remote OR reciev\$3 OR second) NEAR3 (Terminal OR device OR node OR computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/13 16:18
S70 5	89	S704 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S70 6	24	(US-20020073116-\$ or US-20020156618-\$).did. or (US-5023869-\$ or US-5862347-\$ or US-5999936-\$ or US-6009456-\$ or US-6219716-\$ or US-6301394-\$ or US-6345307-\$ or US-6370536-\$ or US-6404431-\$ or US-6420980-\$ or US-6434561-\$ or US-6466999-\$ or US-6493766-\$ or US-6529912-\$ or US-6532121-\$ or US-6728785-\$ or US-6883137-\$ or US-5999949-\$ or US-5598564-\$ or US-5831558-\$ or US-5663721-\$ or US-6192259-\$).did. or (JP-07184194-\$).did.	US-PGPUB; USPAT; DERWENT	SAME	ON	2006/04/13 16:18
S70 7	5	S706 AND (text WITH image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S70 8	5	S706 AND (text SAME image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S70 9	8	S706 AND (text and image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S71 0	145012	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18

EAST Search History

S71 1	145012	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S71 2	20474	S711 SAME display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S71 3	10117	expansion NEAR2 function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S71 4	272	S712 AND S713	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S71 5	153	S714 AND (client AND server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S71 6	122814	encod\$3 SAME decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S71 7	51	S714 AND S716	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S71 8	17	(transmit\$4 OR send\$3)NEAR5 ((decompress\$4 OR decod\$3 OR expansion) NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S71 9	23	(encod\$3 AND compression AND transmit\$4 AND expansion AND function).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18

EAST Search History

S72 0	145011	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)AND ((server OR destination)NEAR3 (device OR node OR computer OR network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S72 1	145011	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)SAME ((server OR destination)NEAR3 (device OR node OR computer OR network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S72 2	145011	((receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)SAME ((server OR destination)NEAR3 (device OR node OR computer OR network))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S72 3	72064	S722 AND @ad<"20010502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/04/13 16:18
S72 4	6860	(709/203,247).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:18